

Progress in Icing Forecast Product Development

Marcia K. Politovich

FAA Aviation Weather Research Program InFlight Icing Product Development Team Lead

Quick Outline



- Update/schedule on CIP/FIP
 - Changes to CIP severity, probability
 - Testing by users
- Schedule
 - Un-restricted operational use?
 - Alaska?
- Are TAMDAR PIREPS useful for CIP?




CIP Upgrades

- Upgrades are a response to YOUR concerns
 - Probability instead of potential
 - Severity!
 - Display concepts: color, altitude resolution, etc.


By FAA policy CIP is a Supplementary Weather Product for enhanced situational awareness only and must be used with one or more primary products (safety decision) such as an AIRMET or SIGMET (see AIM 7-1-3).

Icing severity at FL190




By FAA policy CIP is a Supplementary Weather Product for enhanced situational awareness only and must be used with one or more primary products (safety decision) such as an AIRMET or SIGMET (see AIM 7-1-3).

Icing severity at FL190




Icing severity (prob>25%) at FL190





Icing severity (prob>50%) at FL190









By FAA policy CIP is a Supplementary Weather Product for enhanced situational awareness only and must be used with one or more primary products (safety decision) such as an AIRMET or SIGMET (see AIM 7-1-3).

Probability of icing at FL190




The FIP is an automatically—generated product that supplements AIRMETs and SIGMETs by identifying areas of forecast icing potential, but it does NOT substitute for the intensity and forecast information contained in AIRMETs and SIGMETs.

Potential for icing at FL190



The FIP is an automatically—generated product that supplements AIRMETs and SIGMETs by identifying areas of forecast icing potential, but it does NOT substitute for the intensity and forecast information contained in AIRMETs and SIGMETs.

Potential for icing at FL190



The CIP is an automatically—generated product that supplements AIRMETs and SIGMETs by identifying areas of current icing potential, but it does NOT substitute for the intensity and forecast information contained in AIRMETs and SIGMETs. It is authorized for operational use by meteorologists and dispatchers.

Icing potential at FL180

15

Iding PIREP Symbols

25

Ø Negative

[| Trace

45

 $\bigvee \mathsf{Trace-Light}$

 Ψ^{Light}

35

55

65

₩Light-Moderate

_U/Moderate


75

85

Ψ^{) Severe}

∭ Moderate−Severe


95





The FIP is an automatically—generated product that supplements AIRMETs and SIGMETs by identifying areas of forecast icing potential, but it does NOT substitute for the intensity and forecast information contained in AIRMETs and SIGMETs.

SLD Icing Potential at FL190



NCAR

Icing AIRMETs (blue) and SIGMETs (red)

chart created at 1606 UTC Thu 05 Oct 2006 AIRMETs valid until 2000z/5th, SIGMETs expire at or before 1755z/5th



Future Plans for CIP/FIP



- Color scheme



or









- More vertical levels
- Technical upgrades
 - TAMDAR
 - NSSL 3D radar mosaic
 - NASA LaRC advanced satellite products
 - Ensemble forecasts
- Human-Over-The-Loop
- Tie-in to GFA G-AIRMET
 - G-AIRMET experimental Feb'07, operational Oct'07

On Deck: FIP



- D3 (experimental) decision for new FIP is March 2007
 - Code has been frozen
 - Verification data sets have been produced
 - Severity and probability
 - Product on ExADDS immediately after decision

- D4 follows a year later
 - Some tweaks
 - Need to work on FIP/AIRMET issues


Alaska

NCAR

 Product development depends on model development schedule

 Current and forecast products are now experimental and on ExADDS By FAA policy CIP is a Supplementary Weather Product for enhanced situational awareness only and must be used with one or more primary products (safety decision) such as an AIRMET or SIGMET (see AIM 7-1-3).

Maximum icing potential (1000 ft. MSL to FL300)





Product	D2	D3	D4	Effective Operational Date
CIP	na	na	12/11/01	3/27/02
FIP	na	12/11/01	7/9/03	3/1/04
CIP-AK	10/1/02	11/13/03	FY10	FY11
FIP-AK	10/1/02	11/17/04	FY09	FY10
CIP Severity	na	8/26/04	10/4/06	12/6/06
FIP Severity	na	3/31/07	5/15/08	FY08
Global CIP	FY08	FY10	FY11	FY12
Global FIP	8/31/07	FY09	FY10	FY11



Product	D2	D3	D4	Effective Operational Date
CIP	na	na	12/11/01	3/27/02
FIP	na	12/11/01	7/9/03	3/1/04
CIP-AK	10/1/02	??	FY10	-FY11 -
FIP-AK	10/1/02	??	FY09	FY10
CIP Severity	na	8/26/04	10/4/06	12/6/06
FIP Severity	na	3/31/07	5/15/08	FY08
Global CIP	FY08	FY10	_FY11	-FY12-
Global FIP	8/31/07	FY09	-FY10-	-FY11-




Are TAMDAR icing reports useful?


- They make a visible difference in the product
- Statistically, the improvement seems low
 - Verification methods are relatively clumsy
 - Hard to obtain good "truth" data sets
- May be possible to make a map of current/recent icing from TAMDAR reports

Impacts (5K ft)- HRCIP







Voice Only



Large Disk – Pos & Neg




Voice + Pos TAMDAR




Small Disk - Pos & Neg

NCAR

ROC Curves





NCAR

R&D Summary

- Progress!! Success!!
- Coordinate with
 - MDL and AWC for HOTL and GFA
 - DOD for ensemble forecasts, database
 - JPDO for planning
- Incorporate new data sources as we learn to extract relevant information
 - NSSL 3D radar mosaic
 - NASA LaRC satellite products
 - TAMDAR