

The General Aviation Pilot Preflight Weather Planning: Weather Products Usability & Limitations

> Embry-Riddle Aeronautical University Jayde King, M.S Yolanda Ortiz, M.S Nicholas DeFilippis, M.S Thomas Guinn, Ph.D. Beth Blickensderfer, Ph.D. Robert Thomas, Ph.D.

Friends & Partners of Aviation Weather, Orlando, FL, October 2018



PART 01 Background

Over the last 30 years, a large percentage of weather- related aviation accidents have occurred under General Aviation (GA) operations (FAA, 2010; Fultz & Ashley, 2016; AOPA, 2008).

- Novice Private Pilots VFR into IMC
- High Risk For Incurring Fatality



Aviation Weather PART 02 Challenges

- 1. Difficult to Interpret Aviation Weather Products
- 2. Pilot's Decision Making Biases and Errors
- 3. GA Pilots' Lack of Aviation Weather Experience

Difficult to Interpret Aviation Weather Products

- Weather products are crucial for preflight planning
- Poor usability weather products
- Inexperienced GA Pilots' Lack of Aviation Weather Experience



Pilots struggle with Aviation Weather Preflight Tasks

Low experienced pilots may be incurring weather-related accidents due to their inability to:

- Access
- Interpret
- Apply

weather information (Blickensderfer et al., 2018).



New Weather Product Displays

- Aviation Weather Center (AWC) & Federal Aviation Administration (FAA) produce graphical and interactive weather products
- Improved products may be more confusing than helpful

(Latorella & Chamberlain, 2002; Yuchnovicz et al., 2001; Beringer and Ball, 2004).



Purpose

 Compare the usability of AWC and Foreflight weather information and displays.

 Highlight how weather product displays on AWC and Foreflight can hinder or assist with preflight planning processes.

- Perceive
- Process
- Perform

Aviation Weather Knowledge Assessment

Blickensderfer et al. (2018) developed an aviation weather exam to evaluate GA pilots' ability to interpret :

- Observation
- Analysis
- Forecast

Results indicated that, pilots' product interpretation scores were quite low.



Assessment of Interpretability of Weather Products: Phase 1

General Aviation Pilots scored the lowest on the following weather products:

Forecast

• G-AIRMET

• NCWF

• TAF

ObservationMETARSatellite

Product Type	n	Total M (SD)
Satellite	204	54.04 (27.78)
METAR	204	46.14 (20.23)
TAF	204	50.00 (25.84)
G-AIRMET	204	48.82 (20.72)
NCWF	204	45.59 (28.79)

Table 2. Effect of Pilot Rating and Forecast Type on Interpretation Score. (Blick et al., 2018)

Assessment of Interpretability of Weather Products: Phase 2

General Aviation Pilots scored the lowest on the following weather products:

• METARS	Product Type	n	Total M (SD)
• TAF • Radar	Satellite	176	58.1 (29.4)
• Satellite	Radar	198	60.7 (17.7)
	TAF	149	56.9 (24.8)
	METAR	149	54.5 (19.0)

(Blick et al., 2018)

Usability Principles

Usability and human centered design can assist with :

- Interpretability
- Product and System Transparency

Poor usability may actually encourage hazardous behavior rather than prevent it.

• i.e Radar

(Latorella & Chamberlain, 2002; Yuchnovicz et al., 2001; Beringer and Ball, 2004)









Operational Product Viewer



CREE

Product Type

	OTTE
Base Reflectivity	Max Method
Composite Reflectivity	1 hr Max
Seamless Hybrid Scan	Un-QC'ed
Refl At Lowest Altitude	Height
Layer Reflectivity	
Echo Top	
Layer Thickness	
3D Mosaic Levels	
Radar Quality Index	
Rotation	
Hail	
Lightning	
Gauge Influence Index	
FLASH	
Q3 Radar Only	
Q3 Gauge Only	
Q3 Gauge Corrected Rad	
Q3 Mountain Mapper	
Vertically Integrated Water	
Bright Band	
Precipitation Flag	
AutoNowCaster	



METAR & TAF

Aviation Weather Center

Pros:

- Issuance times
- •Decoded option

- Does not provide color coding based on interpretation (vfr/mvfr/ ifr)
- •Does not recommend METARS to check



METAR & TAF

Foreflight

Pros:

- Issuance times
- •Multiple times before the requested METAR for trending
- •Color Coded (VFR/MVFR/IFR)
- •Recommended METARS along the flight route
- Provides graphical depiction of METARS

Cons:

•Does not provide the option for including TAFs with the METARs



G-AIRMET

Aviation Weather Center

Pros:

- Features Legend
- Allows users to easily transition between different time stamped G-AIRMET Products
- Allows users to overlay different G-AIRMET types

- Confusing issuance times
- Ambiguity on the criteria for the weather phenomena to be reported is
- Does not include reference to the users flight route or location



G-AIRMET

Foreflight

Pros:

- Displays the G-AIRMET in plain text
- Allows users to easily transition between different time stamped G-AIRMET Products
- Allows users to overlay different G-AIRMET TYPES, satellite, radar
- Makes the issuance times easy to understand

- Does not feature legend
- Ambiguity on what the criteria for the reported weather phenomena



Satellite

Aviation Weather Center

Pros:

•Allows users to overlay different Satellite types, regions, and times

- •Features legend that is difficult to link the weather phenomena
- •Does not indicate cloud height
- •Does not easily display valid times and issuance times



Satellite

Aviation Weather Center

Foreflight

Pros:

- Allows users to over lay satellite data over various map types such as aeronautical sectional charts
- Also allows users to overlay METAR & TAF information on the display
- Allows users to access different Satellite types, regions, and times

- Features legend that is difficult to link the weather phenomena
- Does not indicate cloud height
- Does not easily display valid times and issuance times



Radar

Aviation Weather Center

Pros:

- •Features a limited legend without all the symbols from the weather product.
- •Allows users to switch between different types of reflectivity and regions

- Does not easily display valid times and issuance times
- •Does not display a legend that easily relates to the reported weather phenomena



Radar

Foreflight

Pros:

- •Allows users to switch between different types of reflectivity and regions
- •Allows users to overlay radar over the aeronautical sectional chart

- Does not easily display valid times and issuance times
- •Does not display a legend that easily relates to the weather phenomena that relates the the legend



Graphical Forecast for Aviation (GFA)

>New, Web-based weather display

- Covers the continental U.S., ground up to 42,000 feet
- > Observations (current weather data)
- Forecasts
- > Updated hourly

>Three major components:

- Satellite (low ceiling and visibility)
- Radar (presence of precipitation)
- Station Plots (symbols used to represent wind speed, rain and other precipitation)



Results - Mean Percentage Correct

	Radar M(SD)	Station Plots M(SD)	Satellite M(SD)
Private	54.01 (17.11)	36.30 (22.83)	56.83 (26.81)
Private w. Instrument	60.82 (18.63)	35.77 (21.59)	64.81 (28.05)
Commercial w. Instrument	67.22 (15.15)	43.68 (22.89)	59.61 (28.33)
CFI/CFII	67.06 (19.27)	50.00 (22.92)	55.36 (30.36)
Total	60.53 (18.22)	39.44 (22.67)	59.76 (27.89)

- 3 separate 2x4 ANOVAs were conducted to compare the effect of Product and Pilot Certificate/Rating on the Interpretation score
 Station Plots and Satellite
 - Radar and Satellite
 - Radar and Station Plot

Scores were quite low!

Results – Station Plots and Satellite

	Radar M(SD)	Station Plots M(SD)	Satellite M(SD)
Private	54.01 (17.11)	36.30 (22.83)	56.83 (26.81)
Private w. Instrument	60.82 (18.63)	35.77 (21.59)	64.81 (28.05)
Commercial w. Instrument	67.22 (15.15)	43.68 (22.89)	59.61 (28.33)
CFI/CFII	67.06 (19.27)	50.00 (22.92)	55.36 (30.36)
Total	60.53 (18.22)	39.44 (22.67)	59.76 (27.89)

- Mixed between and within-subjects ANOVA was conducted to assess impact of Product type and Pilot Certificate/Rating on scores
 - No interaction between Product type and Pilot Certificate/Rating
 - Main Effect for Product, partial eta squared = 0.21
- Suggests that pilots interpret Satellite products better than Station Plot

Results – Radar and Satellite

	Radar M(SD)	Station Plots M(SD)	Satellite M(SD)
Private	54.01 (17.11)	36.30 (22.83)	56.83 (26.81)
Private w. Instrument	60.82 (18.63)	35.77 (21.59)	64.81 (28.05)
Commercial w. Instrument	67.22 (15.15)	43.68 (22.89)	59.61 (28.33)
CFI/CFII	67.06 (19.27)	50.00 (22.92)	55.36 (30.36)
Total	60.53 (18.22)	39.44 (22.67)	59.76 (27.89)

- Two-way between groups ANOVA was conducted to assess impact of Product type and Pilot Certificate/Rating on scores.
 - No interaction between Product type and Certification and/or Rating
 - No Main Effects for Product OR Rating
- Pilots interpreted Satellite and Radar at about the same level regardless of skill level.

Results – Radar and Station Plots

	Radar M (SD)	Station Plots M (SD)	Satellite M (SD)
Private	54.01 (17.11)	36.30 (22.83)	56.83 (26.81)
Private w. Instrument	60.82 (18.63)	35.77 (21.59)	64.81 (28.05)
Commercial w. Instrument	67.22 (15.15)	43.68 (22.89)	59.61 (28.33)
CFI/CFII	67.06 (19.27)	50.00 (22.92)	55.36 (30.36)
Total	60.53 (18.22)	39.44 (22.67)	59.76 (27.89)

- Two-way between groups ANOVA was conducted to assess impact of Product type and Pilot Certificate/Rating on scores.
 - No interaction between Product type and Certificate/Rating
 - Significant Main Effect for Product on score, Partial Eta Squared = .194
 - Significant Main Effect for Certificate/Rating on score, Partial Eta Squared. = .06
- Pilots interpreted Radar better than Station Plots



- >A major contributing factor in the weather accidents may be Pilots' inability to interpret weather displays.
- New technology is reusing existing display formats and symbology that Pilots may not understand
- The products are not discriminating: Pilots of ALL ratings and certificates are struggling
- >Improving usability could help with product interpretability

Questions?



References

Alter, S.L. (1980) Decision Support Systems: Current Practice and Continuing Challenges. Reading, MA: Addison-Wesley

AOPA. (2008). 2008 Nall accident report: Accident trends and factors for 2007. Retrieved

from https://www.aopa.org/-/me- dia/files/aopa/home/training-and-safety/nall- report/08nall.pdf

Beringer, D.B., & Ball, J.D.(2004) The Effects of NEXRAD Graphical Data Resolution and Direct Weather Viewing on Pilots' Judgements of Weather Severity and Their Willingness to Continue a Flight. Federal Aviation Administration, Washington, DC. Billings, C., and Woods, D. 1994. Concerns about adaptive

automation in aviation systems. Human performance in automated systems: Current research and trends, ed. M. Mouloua and R. Parasuraman, 264-269.

Blickensderfer, B., Lanicci, J., Guinn, T., Thomas, R., King, J., & Ortiz, Y. (2018). Assessing aviation weather knowledge in general aviation pilots: Development of a Written Test. International Journal of Aviation Psychology.

Blickensderfer, E. L., Lanicci, J. M., Vincent, M. J., Thomas, R. L., Smith, M., & Cruit, J. K. (2015). Training general aviation pilots for convective weather situations. Aerospace medicine and human performance, 86(10), 881-888.

Capobianco, G., & Lee, M. D. (2001, October). The role of weather in general aviation accidents: An analysis of causes, contributing factors and issues. In

Proceedings of the Human Factors and Ergonomics Society Annual Meeting 45(2), (pp. 190-194). Los Angeles, CA: SAGE Publications.

Chansik (2011). The effects of weather recognition training on general aviation pilot situation assessment and tactical decision making when confronted with adverse weather conditions (Doctoral dissertation, Clemson University). Retreieved form https://tigerprints.clemson.edu.

Cohen, M. S., Parasuraman, R. A. J. A., Serfaty, D. A. N. I. E. L., & Andes, R. (1997). Trust in decision aids: A model and a training strategy. Arlington, VA: Cognitive Technologies, Inc.

Crocoll, W. M., & Coury, B. G. (1990). Status or recommendation: Selecting the type of information for decision aiding. In Proceedings of the Human Factors Society 34th Annual Meeting (pp. 1524–1528). Santa Monica, CA: Human Factors and Ergonomics Society.

FAA. (2010). WEATHER-RELATED AVIATION ACCIDENT STUDY 2003–2007. Retrieved from:http://www.asias.faa.gov/i/2003- 2007weatherrelatedaviationaccidentstudy.pdf

FAA. (2016). ADVISORY CIRCULAR. Retrieved from: https://www.faa.gov/regulations_policies/advis ory_circulars/index.cfm/go/document.information /documentID/1030235

Fultz, A. J., & Ashley, W. S. (2016). Fatal weather-related general aviation accidents in the United States. Physical Geography. Taylor & Francis. Retrieved from https://doi.org/10.108 0/02723646.2016.1211854 Goh, J., & Wiegmann, D. (2001). Visual flight rules flight into instrument meteorological conditions: An empirical investigation of the possible causes. The International Journal of Aviation Psychology, 11(4), 359–379. Retrieved from https://doi.org/10.1207/ S15327108IJAP1104

Lanicci, J., Halperin, D., Shappell, S., Hackworth, C., Holcomb, K., Bazargan, M., Baron, J., & Iden, R. (2012). General aviation weather encounter case studies (DOT/FAA/AM-12/11). Washington, DC: Office of Aerospace Medicine.

Latorella, K. A., & Chamberlain, J. P. (2002). Graphical weather information system evaluation: Usability, perceived utility, and preferences from general aviation pilots (No. 2002-01-1521). SAE Technical Paper. National Transportation Safety Board. (2005). Risk Factors Associated with Weather-Related General Aviation Accidents. Retrieved from http://www.ntsb.gov.

Parasuraman, R., Molloy, R., & Singh, I. L. (1993). Performance consequences of automation-induced 'complacency'. The International Journal of Aviation Psychology, 3(1), 1-23.

Parasuraman, R., & Riley, V. (1997). Humans and automation: Use, misuse, disuse, abuse. *The Journal of Human Factors and Ergonomics Society*, 39(2), 230-253.

Parasuraman, R., Sheridan, T. B., & Wickens, C. D. (2000). A model for types and levels of human interaction with automation. *IEEE Transactions on systems, man, and cybernetics-Part A: Systems and Humans*, 30(3), 286-297.

Parson, S., Beringer, D., Knecht, W., Crognale, M. A., Wiegmann, D., & Beard, B. L. (2005). General aviation pilot's guide to preflight weather planning, weather self-briefings, and weather decision making. Retrieved from https://www.faasafety.gov/files/ gslac/courses/content/25/185/GA%20Weather%20De cision-Making%20Dec05.pdf

Patel, V. L., & Groen, G. J. (1991). The general and specific nature of medical expertise: A critical look. Toward a general theory of expertise: *Prospects and limits*, 93-125.

Shimon Y. Nof (2009). Springer Handbook of Automation (Ed). Heidelberg, Berlin: Springer.

Wiener, E L. (1981). Complacency: Is the term useful for air safety? In Proceedings of the 26th Corporate Aviation Safety Seminar (p 116-125). Denver: Flight Safety Foundation, Inc.

Wiggins, M. W., & Griffin, B. (2014). Commentary on the article by turner: Cultural complexity in pilot selection. The International Journal of Aviation Psychology, 24(2), 96-98.

Wiggins, M., & O'hare, D. (1995). Expertise in aeronautical weather-related decision making: A cross-sectional analysis of general aviation pilots. *Journal of Experimental Psychology: Applied*, 1(4), 305.

Wiggins, M. W., & O'Hare, D. (2003). Expert and novice pilot perceptions of static in-flight images of weather. The International Journal of Aviation Psychology, 13(2), 173-187.

Wiggins, M. W., Stevens, C., Howard, A., Henley, I., & O'Hare, D. (2002). Expert, intermediate and novice performance during simulated pre-flight decision- making. *Australian Journal of Psychology*, 54(3), 162-167. Yuchnovicz, D. E., P. F. Novacek, M. A. Burgess, M. L. Heck, and A. F. Stokes. "*Use of Data-Linked Weather Information Display and Effects on Pilot Navigation Decision Making in a Piloted Simulation Study (NASA/CR-2001-211047).*" NASA, Hampton, VA (2001).